



**Bottom storage cover topside**



**Bottom storage cover underside**



**Upper and middle console cover topside**



**Upper and middle console cover underside**



**Lift the center console and lower console cover, this will be the part you sit on.**



**Slide the cover around the lower handle with the fabric side facing upward, the underside will not be completely covered.**



**Lower the seat and pull the fabric tight towards the rear of the cab.**




**Lift the seat enough to tuck the fabric between the seat bottom and seat back.**



**Lift the seat and pull the fabric tight around the bottom and attach the Velcro to the carpet bottom.**



**Pull each side inward and attach the Velcro to the carpet bottom.**




**Make all of the necessary adjustments to the lower seat before moving on to the seat back.**



**Unzip the console cover and pull the seat back fabric between the seat bottom and back.**



**Lower the seat back then pull the fabric so the fabric is tight against the seat top.**



**Pull the fabric upward so the tabs in the material are above the cup holder.**

**NOTE: Most materials will fit underneath if the cup holder trim, thicker materials such as Rhinohide / Leatherette / Saddle will be a tighter fit and may require the trim to be on the outside edge of the cupholder.**



**Lift up on plastic trim and remove it, the trim is held in place with four plastic pins.**



**Roll the tabs inward so they sit above the factory backrest material.**



**Starting with the driver's or passengers side hold the fabric in place and roll it upward.**



**Hold the fabric in place while reinstalling the plastic trim. Tucking the trim is easiest when starting with one side and work your way to the other side.**



**After all three tabs have been rolled into place snap the trim in place.**



**Wrap the corners inward on the inside edge of the trim**



**Pull the fabric tight and roll it inward than attach the Velcro strip on inside of the console.**



**Slide the console cover onto the lid, make sure that the bridge material is clear of the latch.**



**Tuck the upper console cover around the bottom corners.**



**Zip the seat back and console covers together.**  
**Note: It is normal to see extra material behind the console, it is necessary for proper movement.**



**Check and adjust for final fitment of the seat bottom cover.**



**Check and adjust for final fitment center console cover.**



**Adjust the console lid for final fitment.**